



## **MIGHTY EX6**

## Tipper

Engine			Electrical system	
-		Turbo Charger Intercooler	Audio	M450 (Radio+Aux/MP3 USB) Multidisplay
Туре		4 stroke-cycle, Water-cooled, Direct-injection diesel Engine	Auto Locking	Central Door Locking + Power Window + Keyless Entry + Semi Trim
Number of Cylinder		4 in-line	Steering Wheel Controls	Bluetooth Phone - Audio - Cruise Control
Piston Displacement (cc)		3.933cc	Head lamps	Semi-sealed Beam / Adjustable Dim
Piston Displacement (cc)				
		Manual (5 Speed)	Front Combination Lamps	Turn signal / Hazard-Amber, Position - White
Max. Power** ps/rpm (kw)	Euro V	140ps/2,500 (102kw) Man	Fog Lamps	White
Max. Torque ** (nm/rpm)	Euro V	289/1,400 (392nm) Man	Rear Combination lamps	Turn signal / Hazard-Amber, Tail / Stop - Red
Fuel System	Injection pump	Denso Common Rail System	License Plate Lamp	White
			Service Lamp Circuit	Yes
Transmission			Daytime Running Lights	Yes
Туре		Manual (5 Speed)	12v Socket in Dash	Yes x2
Version		M035 S 5	Power Windows	Yes
Drive		Single Plate Clutch	Back-up Lamp	White
Park Pawl		N/A	Instruments	Winte
PTO		YES	Meter Cluster	Fixed type
FIO		TES		
For and Apple			Meter	Speedometer / Tachometer / Fuel gauge / Water temperature gauge LCD with odometer / Trip meter / Clock
Front Axle			Warning Lamps & Indicators	Brake fluid level of reservoir / Parking brake / Oil pressure / Battery charge /
Туре		Reverse Elliot type " I " beam		Tell-tale lights for head light high beam / Turn signals / Door open / Seat belt / Low fuel
Capacity	kg	2760 kg	Horn	Single, Electric
Front Axle			Cruise Control	Yes
Capacity	kg	4700 kg	Heating/ Air conditioning (Manual)	Yes
Tyre & Wheel	Ŭ		Steering Wheel Audio Remote Control	Yes
Туре		Single Front, Dual Rear	Steering Wheel Auto Cruise Control	Yes
Tyre	Front / Rear	205/75R17.5-10PR	Body /Cab	
Wheel	Front / Rear	17.5 x 6.00	Type Mounting	Tilt type with torsion bars, all steel welded construction with safety zone design Rigid or Semi floating type
Steering	Hont / Kear	1.5 X 0.00	Windshield	One piece type with laminated glass, tinted upper section
		Power Assisted	Windshield Wipers	Dual electric three speed (intermittent / low / fast) wipers & washer
Steering				
		Adjustable Steering Wheel	Mirrors	Mirror - Heated
Service Brake			Driver's Seat	Coil Suspension, urethane foam cushioned STD trim
Front / Rear		Disc/Disc	Passenger's seat	Bench seat, STD Trim
Vehicle Dynamic Control (VDC)		(ESC) Electronic Stability Control, (ABS) Anti Brake Skid, (HSA) Hill Start Assist,	Steering Column	Fully Adjustable
		(ESS) Emergency Stop Signal	Roof Marker Lights	Yes
Parking Brake			Overhead Storage	Yes
Actuation		Internal expanding type on Propeller shaft at the rear of Transmission assembly	Mirror Width	Narrow STD (optional LONG)
Exhaust Brake			Active Safety Feautures	
Туре		Vacuum operated, Butterfly Valve type	Electronic Stability Control	Yes
Suspension			ABS Braking	Yes
Туре	Front / Rear	Semi-elliptic, laminated Leaf Springs	Daytime Running Lights	Yes
	TIUIIL/ Redi	Gas telescopic type on the FRONT/REAR axle	Hill Start Assist	Yes
Shock absorber		Cas telescopic type off the FRONT/REAR dxie		Yes
Exhaust system		Hadroutel .	Auto Headlights	
General		Horizontal	Bluetooth Hands Free	Yes
Fueltank			Heated Mirrors	Yes
Capacity		100ℓ	Warranty	
Frame			Cab Chassis	3 years or 150,000km (whichever occurs first) against manufactures defects
Туре		"H" type frame with channel sectional side rail & cross members, side rail is reinforced	Upper body	According to supplier
Main section side rail dimension	(mm)	Depth x Flange x Thickness : 183 x 60 x 6t	Refrigeration	Where applicable any refrigeration supplied will be either from Transcold or Thermo king , all warranty and service
Weights			-	be according to their terms and conditions
*Tare weight kg	Range	3760 kg	Annotations	-
** Max Gross Vehicle Weight		5,995/6,500 kg		are to 3.5% variation to allow for production tolerance
•	E		1) Empty vehicle weight and curb weight shown are to 3.5% variation to allow for production tolerance.	
Gross vehicle weight Front /Rear 2,760/4,700 kg		2,760/4,700 kg	<ol> <li>Empty vehicle weight and curb weight include weight of oil, fuel, coolant and spare tire carrier &amp; bracket, but exclude standard tool set</li> </ol>	
			<ol><li>The vehicle specification may differ per count</li></ol>	try.
4) H			4) Hyundai New Zealand reservs the right to alter the specifications, equipment or options or discontinue the models at any time without prior notice.	

\*Approximate, depending on variant and specification

\*\*Max GVW includes the front and rear axle loads based on permissable tyre load 5,995kg & 6,500kg varients

images may contain additional cost options

## **MIGHTY EX6**

## Tipper

EX6 Std Cab Short Wheelbase



1495

2028





300

290



